



Crop Report for July 13, 2008

Much needed rain fell across almost all regions of the province last week, according to Saskatchewan Agriculture's weekly crop report.

Provincially, fall cereal crops are reported to be 72 per cent in good to excellent condition, with 63 per cent of the crop at the normal stage of development for this time of year. Spring cereal crops are reported to be 73 per cent in good to excellent condition, with 48 per cent at normal development. Oilseed crops are reported to be 55 per cent in good to excellent condition, with 48 per cent at normal development. Pulse crops are 67 per cent in good to excellent condition, with 57 per cent at normal development.

Topsoil moisture conditions improved during the past week. Crop reporters rated 76 per cent of the cropland as having adequate topsoil moisture, up from 48 per cent the previous week. Twenty-three per cent of the cropland is rated as having below adequate moisture compared to 43 per cent the previous week. Hay and pasture land is now at 66 per cent adequate, compared to 37 per cent a week ago. The amount of hay and pasture land rated as short of moisture improved from 50 per cent last week to 29 per cent this week. The hay and pasture land rated as very short of moisture improved from 13 per cent last week to four per cent this week.

Forty-three per cent of the first cut of hay has been cut, baled or put into silage, compared to 25 per cent one week ago. Last week's rainfall slowed down haying operations. There have not been any second cuts of hay in the province to date.

Hail and strong winds were the main sources of crop damage this past week. Other sources of damage included wheat midge, leaf disease, grasshoppers, and gophers.

For further information contact:
Wayne Thompson P.Ag.
Agricultural Economist
Policy Branch
Ministry of Agriculture
306-787-6806

Available on the Ministry of Agriculture Internet site at:
www.agriculture.gov.sk.ca

Please let us know if you no longer need to receive a printed copy.

Saskatchewan Crop Conditions, July 13, 2008

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	4	7	8	7	11	8	4
% good	62	69	57	60	61	62	83
% fair	30	19	29	28	23	25	9
% poor	3	4	5	4	4	4	4
% very poor	1	1	1	1	1	1	0

	Flax	Canola	Mustard	Sun- flower	Lentil	Pea	Canary Seed	Chick- pea
% excellent	6	7	7	2	9	12	5	6
% good	56	50	52	40	63	62	45	62
% fair	32	34	35	45	25	23	38	25
% poor	4	8	5	13	2	2	7	5
% very poor	2	1	1	0	1	1	5	2

1 Year Ago

Forty-one per cent of the first cut of hay had been baled or made into silage.

Topsoil moisture conditions continued to be generally adequate across the province. The drier areas were mainly in the southwest.

Wheat midge was a major source of crop damage.



South eastern Saskatchewan (Crop Districts 1, 2, & 3ase)

There was rain across the south eastern region this past week. An average of 26 mm of precipitation was reported, ranging from an average low of 11 mm reported in Crop District (CD) 1a, to a maximum of 54 mm reported in CD 2b. Damage from hail and wind was reported across the region.

The rain delayed haying and hail was reported to result in 100 % crop damage in some rural municipalities (RM).

Crop conditions have remained about the same as compared to the week ending June 22. More of the crop has been reported as being at the normal stage of development for this time of year.

Topsoil moisture conditions on cropland improved this past week with the rain across the region. Reporters rate 75% of the crop land as having adequate topsoil moisture conditions, compared to 42% last week. Twenty-five per cent of the crop land is rated in short and very short topsoil moisture condition. For hay and pasture land, 61 % is rated as having adequate topsoil moisture, compared with 40 % last week. Thirty nine per cent of the hay and pasture land is rated as short or very short topsoil moisture condition.

Reports of wheat midge damage increased dramatically for this past week. Other insect damage in the region was caused by aphids, grasshoppers, diamondback moth, and weevils. Some spraying for wheat midge was done. Crop diseases included powdery mildew have been reported. Some spraying for fusarium took place. Gophers have caused damage in CD 1b.

First-cut haying operations are moving ahead in the southeast with 21 % baled or silaged, up from 9 % last week. Quality is generally expected to be good to excellent. The rain has delayed some baling and silaging.

South western Saskatchewan (CDs 3asw, 3an, 3b, & 4)

There was rain across the south western region this past week. An average of 22 mm of precipitation was reported ranging from a low of 2 mm in CD 4b, to an maximum of 48 mm reported in CD 4b.

Hail damage was reported in every CD this past week. Hail the size of golf balls fell in some cases. Lodging of the crop was reported in RM 111.

Crop conditions have remained about the same since June 22 with most of the crop in the good category. Crop development has been pushed ahead with more reports of crops

being at the normal stage of development.

Topsoil moisture conditions on cropland improved this past week. Reporters rate 77 % of the crop land as having adequate topsoil moisture conditions, compared to 57 % last week. Twenty-one per cent of the crop land is rated as being short of topsoil moisture. For hay and pasture land, 66 % is rated as having adequate topsoil moisture, compared with 45 % last week. Twenty-nine per cent of the hay and pasture land is rated in very short topsoil moisture condition.

Grasshoppers, bertha armyworms, and gophers caused crop damage in the southwest during the past week. Plant diseases that have caused damage are ascochyta blight and mycozphaerella blight.

The first-cut of 2008 haying operations are furthest ahead in the southwest with 25 % baled or silaged, up from 9 % last week. Quality is generally expected to be good.

East central Saskatchewan (Crop Districts 5 & 6a)

The east central region had rain and wind along with hail in some storms. An average of 42 mm of precipitation was reported during the past week, ranging from an low of 17 mm reported in CDs 6a, to an high of

80 mm reported in CD 5b.

The rain was welcome across the region but the associated hail in some of the storms caused 100 % crop damage. There was big game damage from moose and deer reported in RM 339.

Crop conditions are improved slightly with more of the crop ranking in the good category. For crop development, the percentage of crop at the normal stage improved but there is still a significant percentage of the crop that is behind normal development.

Topsoil moisture conditions on cropland improved this past week. Reporters rate 90 % of the crop land as having adequate topsoil moisture conditions, compared to 66 % last week. One per cent of the crop land is rated as being short of topsoil moisture while 9 % is in a surplus position. For hay and pasture land, 8 % is rated as surplus and 85 % is rated as having adequate topsoil moisture, compared with zero % and 53 %, respectively, last week. Seven per cent of the hay and pasture land is rated in very short topsoil moisture condition.

Wheat midge was the insect reported as doing the most damage this past week. Spraying is being done for wheat midge. Crop damage that resulted from grasshoppers and sawfly was

also reported. Leaf diseases were reported across the region. Fungicides are being applied to wheat, barley, oats and peas.

First-cut haying operations has nearly stalled, with 7 % baled or silaged, up from 3 % last week. An additional 19 % has been cut. Quality is generally expected to be either fair or good.

West central Saskatchewan (Crop Districts 6b & 7)

Summer storms passed through the west central region this past week. An average of 30 mm of precipitation was reported, ranging from an average low of zero mm reported in CD 6b, to a high of 75 mm reported in CD 6b.

Hail damage was reported in all of the CDs in this region. There are still concerns about some crops not having enough moisture.

The area of crop in good condition has increased, but there a significant percentage of the crop in the fair category. In respect to crop development, all crops still show double-digit numbers in the behind category.

Topsoil moisture conditions on cropland improved this past week. Reporters rate 57 % of the crop land as having adequate topsoil moisture, compared to

26 % last week. Thirty-eight per cent of the crop land is rated as being short of topsoil moisture and 5 % is very short. For hay and pasture land, 44 % is rated as having adequate topsoil moisture, compared with 18 % last week. The area rated as short, changed slightly going from 45 % last week to 47 % this week on hay and pasture land. Nine per cent of the hay and pasture land is rated in very short topsoil moisture condition, compared to 37 % last week.

Crop damage resulting from wheat midge has been reported across the region, with some spraying for the insect occurring this past week. There has been some spraying for grasshoppers. There was only one report of plant disease damage this past week, in CD 6b.

Harvesting of the 2008 hay crop has progressed in the west central area with 22 % baled or silaged, up from 10 % last week. Quality is generally expected to be fair or good.

North eastern Saskatchewan (Crop Districts 8 & 9ae)

The north eastern region had rain this past week. An average of 29 mm of precipitation was reported ranging from an average low of 7 mm reported in CD 8a, to an average high of 73 mm reported in CD 8a in RM 456.

Hail damage was reported in CD 8. The wind in the storms lodged or flattened some of the crops in CD 8a.

Crop conditions are primarily in the fair or good category, though crop development remains between 19 % and 29 % behind normal. The northeast has the highest percentage of the crops in the normal development stage.

Topsoil moisture conditions on cropland improved this past week. Reporters rate 79 % of the crop land as having adequate topsoil moisture conditions, compared to 45 % last week. Twenty-one per cent of the crop land is rated as being short of topsoil moisture. For hay and pasture land, 61 % is rated as having adequate topsoil moisture, compared with 21 % last week. The area rated as short went from 78 % last week to 39 % this week.

All of the insect damage reported in this region was a result wheat midge. Spraying was taking place in response. Sclerotinia and other leaf diseases have also caused some crop damage. There has been some spraying for sclerotinia and other leaf diseases.

Haying operations are coming along with 16 % of the 2008 crop baled or silaged, up from 9 % last week. Quality is generally expected to be good.

North western Saskatchewan (Crop Districts 9aw & 9b)

The north western region had showers this past week. An average of 32 mm of precipitation was reported ranging from a low of 10 mm reported in CD 9b, to a high of 75 mm reported in CD 9aw.

Hail caused damage in the CD 9aw in RMs 494 and 555. There was some wind damage in RM 438. The rain slowed down haying but helped crops in RM 438.

Crops are still generally in fair to good shape, and the percentage in the good category is increasing. There is still a significant percentage of the crop being rated as behind normal development for this time of year.

Topsoil moisture conditions on cropland improved this past week. Reporters rate 66 % of the crop land as having adequate topsoil moisture conditions, compared to 41 % last week.

Thirty-two per cent of the crop land is rated as being short of topsoil moisture and one % is very short. For hay and pasture land, 65 % is rated as having adequate topsoil moisture, compared with 24 % last week. The area rated as short, changed slightly going from 57 % last week to 29 % this week. Six per cent of the hay and pasture land is rated in very short topsoil moisture condition, compared to 19 % last week.

Insect damage from wheat midge and flea beetles was reported RM 488 and 520 of CD 9a and RM 438 in CD 9b. There has been some spraying for wheat midge in CD 9ae.

The northwest made very little progress in haying operations with about 10 % of the crop baled or silaged, up slightly from 7 % last week. Quality is mostly rated as fair with some as good.

Southeast Saskatchewan Crop Conditions, July 13, 2008

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	8	4	10	10	10	10	0
% good	51	48	57	53	55	51	90
% fair	35	35	30	33	31	32	10
% poor	5	12	2	3	3	6	0
% very poor	1	1	1	1	1	1	0

	Flax	Canola	Mustard	Sun- flower	Lentil	Pea	Canary Seed	Chick- pea
% excellent	8	4	5	2	13	16	6	15
% good	46	37	56	40	49	52	33	44
% fair	37	47	32	44	32	28	37	31
% poor	4	10	6	14	5	3	10	6
% very poor	5	2	1	0	1	1	14	4

Southwest Saskatchewan Crop Conditions, July 13, 2008

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	1	8	5	5	4	4	5
% good	62	80	74	70	84	76	92
% fair	30	10	19	21	9	17	3
% poor	6	2	1	3	2	2	0
% very poor	1	0	1	1	1	1	0

	Flax	Canola	Mustard	Sun- flower	Lentil	Pea	Canary Seed	Chick- pea
% excellent	5	3	3	0	6	10	7	3
% good	63	69	62	0	76	69	72	68
% fair	28	23	28	0	15	18	19	24
% poor	3	4	6	0	2	2	1	4
% very poor	1	1	1	0	1	1	1	1

East Central Saskatchewan Crop Conditions, July 13, 2008

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	5	10	12	10	14	10	0
% good	68	70	64	68	67	72	100
% fair	27	20	23	21	18	17	0
% poor	0	0	1	1	1	1	0
% very poor	0	0	0	0	0	0	0

	Flax	Canola	Mustard	Sun- flower	Lentil	Pea	Canary Seed	Chick- pea
% excellent	4	9	16	0	13	13	4	0
% good	73	53	46	80	67	73	73	87
% fair	22	32	37	20	20	14	22	13
% poor	1	5	1	0	0	0	1	0
% very poor	0	1	0	0	0	0	0	0

West Central Saskatchewan Crop Conditions, July 13, 2008

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale	
% excellent	2	3	2	8	1	3	0	
% good	40	51	50	36	45	48	28	
% fair	51	37	40	44	46	42	48	
% poor	7	8	8	12	7	6	24	
% very poor	0	1	0	0	1	1	0	
	Flax	Canola	Mustard	Sun- flower	Lentil	Pea	Canary Seed	Chick- pea
% excellent	1	2	4	0	6	5	1	0
% good	49	47	35	20	63	58	30	42
% fair	38	40	53	70	30	34	59	35
% poor	11	10	7	10	1	2	9	20
% very poor	1	1	1	0	0	1	1	3

Northeast Saskatchewan Crop Conditions, July 13, 2008

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale	
% excellent	8	14	8	15	16	11	0	
% good	71	70	60	57	62	63	95	
% fair	21	15	30	25	19	25	5	
% poor	0	1	2	3	3	1	0	
% very poor	0	0	0	0	0	0	0	
	Flax	Canola	Mustard	Sun- flower	Lentil	Pea	Canary Seed	Chick- pea
% excellent	10	9	6	0	0	22	8	0
% good	60	64	69	0	72	55	48	0
% fair	28	24	24	0	23	22	43	0
% poor	2	3	1	0	5	1	1	0
% very poor	0	0	0	0	0	0	0	0

Northwest Saskatchewan Crop Conditions, July 13, 2008

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale	
% excellent	0	0	8	0	10	10	0	
% good	82	53	39	0	53	43	0	
% fair	18	22	33	0	27	28	0	
% poor	0	25	20	0	10	19	100	
% very poor	0	0	0	0	0	0	0	
	Flax	Canola	Mustard	Sun- flower	Lentil	Pea	Canary Seed	Chick- pea
% excellent	0	8	0	0	0	11	0	0
% good	48	37	0	0	0	42	0	0
% fair	43	32	0	0	0	40	0	0
% poor	9	20	0	0	0	7	0	0
% very poor	0	3	0	0	0	0	0	0

SK Crop Development - July 13/08

	% Ahead	% Normal	% Behind
Fall Cereals	1	63	36
Spring Cereals	1	48	51
Oilseeds	1	48	51
Pulse Crops	1	57	42

SE Crop Development - July 13/08

	% Ahead	% Normal	% Behind
Fall Cereals	6	59	35
Spring Cereals	1	45	54
Oilseeds	1	41	58
Pulse Crops	1	55	44

SW Crop Development - July 13/08

	% Ahead	% Normal	% Behind
Fall Cereals	1	74	25
Spring Cereals	1	54	45
Oilseeds	1	60	39
Pulse Crops	1	59	40

EC Crop Development - July 13/08

	% Ahead	% Normal	% Behind
Fall Cereals	1	44	55
Spring Cereals	1	37	62
Oilseeds	1	38	61
Pulse Crops	2	45	53

WC Crop Development - July 13/08

	% Ahead	% Normal	% Behind
Fall Cereals	0	73	27
Spring Cereals	0	39	61
Oilseeds	0	46	54
Pulse Crops	0	61	39

NE Crop Development - July 13/08

	% Ahead	% Normal	% Behind
Fall Cereals	0	81	19
Spring Cereals	0	71	29
Oilseeds	0	71	29
Pulse Crops	0	77	23

NW Crop Development - July 13/08

	% Ahead	% Normal	% Behind
Fall Cereals	0	65	35
Spring Cereals	1	50	49
Oilseeds	0	48	52
Pulse Crops	1	58	41

Weekly Rainfall Summary

(in millimeters)

for the week ending July 12, 2008

Crop Municipality	Past	Since	Crop Municipality	Past	Since	Crop Municipality	Past	Since
Dist. No. Name	Week	April 1	Dist. No. Name	Week	April 1	Dist. No. Name	Week	April 1
1A 1 Argyle	N/A	171 *	108 Bone Creek	19	276	345 Vanscoy	27	104
2 Mount Pleasant	17	169	138 Webb	8	242	346 Perdue	30	128
3 Enniskillen	11	170	165 Morse	36	229	376 A Eagle Creek	16	99
33 A Moose Creek	N/A	125 *	166 Excelsior	31	191	376 B Eagle Creek	13	92
33 B Moose Creek	17	161	167 Sask. Landing	33	232	403 Rosthern	27	125
34 Browning	N/A	108 *	168 Riverside	28	248	259 Snipe Lake	45	178
61 Antler	N/A	189 *	226 Victory	36	134	287 St. Andrews	29	113
64 Brock	28	149	228 A Lacadena	N/A	118 *	288 Pleasant Valley	31	118
65 Tecumseh	28	108	228 B Lacadena	37	165	292 Milton	52	187
91 Maryfield	15	196	255 Coteau	N/A	38 *	317 A Marriott	N/A	72 *
92 Walpole	N/A	148 *	49 White Valley	9	204	317 B Marriott	27	81
93 Wawken	19	164	49 A White Valley	7	174	318 A Mountain View	23	167
94 Hazelwood	38	201	51 Reno	8	171	318 B Mountain View	34	138
95 Golden West	29	142	79 Arlington	2	191	320 Oakdale	41	192
121 Moosomin	29	204	109 Carmichael	18	243	321 Prairiedale	46	161
122 Martin	14	189	110 Piapot	41	226	347 A Biggar	26	112
123 Silverwood	28	162	111 A Maple Creek	28	196	347 B Biggar	N/A	69 *
124 Kingsley	20	171	111 B Maple Creek	39	239	350 A Mariposa	18	125
125 Chester	26	106	4B 139 Gull Lake	15	185	350 B Mariposa	N/A	94 *
151 A Rocanville	35	224	141 Big Stick	19	240	351 Progress	38	201
151 B Rocanville	48	204	142 Enterprise	36	227	352 Heart's Hill	75	255
153 Willowdale	13	171	169 Pittville	46	199	377 Glenside	N/A	84 *
154 Elcapo	28	196	231 Happyland	20	197	378 A Rosemount	23	98
155 Wolseley	32	151	232 Deer Forks	48	200	378 B Rosemount	19	133
2A 36 Cymri	17	130	5A 183 Fertile Belt	48	224	379 Reford	N/A	86 *
66 Griffin	N/A	116 *	184 Grayson	44	185	380 Tramping Lake	9	99
67 Weyburn	16	130	185 Mcleod	N/A	97 *	381 Grass Lake	10	173
68 Brokenshell	16	127	186 Abernethy	21	149	382 Eye Hill	14	238
69 Norton	36	183	211 Churchbridge	37	132	409 Buffalo	20	140
96 Fillmore	47	153	213 Saltcoats	31	150	410 Round Valley	NIL	122
97 Wellington	46	141	216 A Tullymet	25	137	411 Senlac	N/A	206 *
99 Caledonia	25	154	216 B Tullymet	N/A	98 *	8A 395 Porcupine	44	146
126 Montmartre	47	128	241 Calder	N/A	102 *	397 Barrier Valley	N/A	79
127 Francis	55	161	243 Wallace	48	174	398 Pleasantdale	38	101
129 Bratt's Lake	21	107	245 A Garry	35	155	428 Star City	30	119
131 Baildon	15	129	245 B Garry	25	164	456 Arborfield	73	145
156 A Indian Head	26	144	246 Ituna Bon Accord	28	140	457 Connaught	7	65
157 South Qu'appelle	22	120	247 Kellross	35	141	458 Willow Creek	27	103
158 Edenwold	12	132	248 Touchwood	24	132	486 Moose Range	N/A	34 *
160 Pense	20	166	5B 271 Cote	32	105	487 Nipawin	23	103
161 Moose Jaw	18	177	273 Sliding Hills	42	116	8B 369 St. Peter	30	96
191 Marquis	52	187	275 Insinger	63	176	370 Humboldt	21	111
3ASE 9 Surprise Valley	25	154	276 Foam Lake	76	184	371 Bayne	23	100
38 A Laurier	N/A	151 *	277 Emerald	68	170	372 Grant	41	128
38 B Laurier	16	155	304 Buchanan	N/A	139 *	373 Aberdeen	N/A	22 *
39 A The Gap	N/A	134 *	307 Elfros	80	214	400 Three Lakes	24	103
39 B The Gap	18	140	308 Big Quill	N/A	87 *	402 Fish Creek	29	98
3ASW 10 Happy Valley	18	149	333 Clayton	N/A	113 *	429 A Flett's Springs	13	47
12 Poplar Valley	12	202	335 Hazel Dell	35	165	429 B Flett's Springs	26	105
40 Bengough	10	162	336 Sasman	52	142	431 St. Louis	19	88
42 Willow Bunch	16	191	337 Lakeview	40	144	459 Kinistino	46	113
43 A Old Post	3	173	338 Lakeside	40	160	9AE 488 Torch River	15	113
43 B Old Post	13	141	366 Kelvington	71	176	520 Paddockwood	25	92
44 Waverley	25	180	367 B Ponass Lake	N/A	101 *	9AW 405 Great Bend	N/A	35 *
70 Key West	N/A	154 *	189 Lumsden	44	207	406 Mayfield	13	96
71 A Excel	33	188	190 A Dufferin	38	153	435 Redberry	34	107
71 B Excel	29	190	190 B Dufferin	N/A	118 *	436 Douglas	22	79
71 C Excel	25	202	190 C Dufferin	27	156	463 Duck Lake	N/A	101 *
72 Lake Of The Rivers	23	185	219 B Longlaketon	17	162	464 Leask	30	185
73 A Stonehenge	33	220	219 C Longlaketon	N/A	123 *	466 Meeting Lake	N/A	54 *
73 B Stonehenge	43	236	220 Mckillop	24	155	467 Round Hill	33	129
3AN 101 Terrell	13	165	221 Sarnia	25	163	493 Shellbrook	36	83
102 Lake Johnston	13	142	222 Craik	N/A	131 *	494 Canwood	42	125
103 Sutton	15	193	251 Big Arm	53	171	496 Spiritwood	36	149
132 Hillsborough	32	166	252 Arm River	49	153	497 Medstead	N/A	59 *
134 Shamrock	29	199	279 A Mount Hope	74	168	555 Big River	75	174
164 Chaplin	28	182	279 B Mount Hope	38	132	9B 438 Battle River	23	116
193 Eyebrow	46	179	280 Wreford	46	133	440 Hillsdale	N/A	128 *
194 Enfield	43	173	282 McCraney	70	162	442 Manitou Lake	10	120
3BS 17 A Val Marie	13	229	309 Prairie Rose	N/A	124 *	498 A Parkdale	21	122
17 B Val Marie	N/A	130 *	312 Morris	45	132	498 B Parkdale	N/A	109 *
45 Mankota	11	223	313 Lost River	38	125	499 Mervin	18	175
75 A Pinto Creek	17	189	339 Leroy	25	137	501 A Frenchman Butte	24	162
75 B Pinto Creek	N/A	171 *	340 A Wolverine	33	139	501 B Frenchman Butte	34	136
76 A Auvergne	14	182	340 B Wolverine	28	127	501 C Frenchman Butte	32	156
76 B Auvergne	14	237	341 Viscount	N/A	137 *	502 Britannia	36	165
77 Wise Creek	7	215	343 Blucher	43	146	561 Loon Lake	36	143
78 A Grassy Creek	7	250	283 Rosedale	39	151	588 A Meadow Lake	N/A	89 *
78 B Grassy Creek	5	213	284 Rudy	43	143	588 B Meadow Lake	40	110
78 C Grassy Creek	4	234	285 Fertile Valley	54	142	588 C Meadow Lake	47	156
105 Glenbain	16	203	286 Mildred	51	128	588 D Meadow Lake	44	192
106 Whiska Creek	11	200	314 Dundurn	38	147	622 Beaver River	29	118
107 Lac Pelletier	14	191	344 Corman Park	22	86			



These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R.M.

* incomplete


Municipality No: A, B, C, and D - more than one reporter

Weekly Rainfall for the week ending July 12, 2008


Rainfall (mm)



Weekly Rainfall for the week ending July 12, 2008




Crop Damage - Hail for the week ending July 12, 2008



Damage Reported
 No Damage Reported
 No Data

Crop Damage - Hail for the week ending July 12, 2008



Damage Reported
 No Damage Reported
 No Data

Crop Districts and Rural Municipalities

